



June 14, 2024

William Kotas
Intertek PSI
17 British American Boulevard
Latham, NY 12110

RE: Project: BETHLEHEM CSD 6/5
Pace Project No.: 70300519

Dear William Kotas:

Enclosed are the analytical results for sample(s) received by the laboratory on June 06, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lori A. Beyer
lori.beyer@pacelabs.com
516-370-6014
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Pace Analytical Services Long Island

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Virginia Certification # 460302

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SAMPLE SUMMARY**

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70300519001	117	Drinking Water	06/05/24 05:06	06/06/24 08:00
70300519002	119	Drinking Water	06/05/24 05:08	06/06/24 08:00
70300519003	120	Drinking Water	06/05/24 05:10	06/06/24 08:00
70300519004	121	Drinking Water	06/05/24 05:11	06/06/24 08:00
70300519005	122	Drinking Water	06/05/24 05:19	06/06/24 08:00
70300519006	123	Drinking Water	06/05/24 05:22	06/06/24 08:00
70300519007	124	Drinking Water	06/05/24 05:11	06/06/24 08:00
70300519008	125	Drinking Water	06/05/24 05:12	06/06/24 08:00
70300519009	126	Drinking Water	06/05/24 05:17	06/06/24 08:00
70300519010	127	Drinking Water	06/05/24 05:23	06/06/24 08:00
70300519011	128	Drinking Water	06/05/24 05:25	06/06/24 08:00
70300519012	129	Drinking Water	06/05/24 05:40	06/06/24 08:00
70300519013	130	Drinking Water	06/05/24 05:44	06/06/24 08:00
70300519014	131	Drinking Water	06/05/24 05:46	06/06/24 08:00
70300519015	132	Drinking Water	06/05/24 05:48	06/06/24 08:00
70300519016	133	Drinking Water	06/05/24 05:50	06/06/24 08:00
70300519017	134	Drinking Water	06/05/24 05:52	06/06/24 08:00
70300519018	135	Drinking Water	06/05/24 05:54	06/06/24 08:00
70300519019	136	Drinking Water	06/05/24 05:38	06/06/24 08:00
70300519020	137	Drinking Water	06/05/24 05:36	06/06/24 08:00
70300519021	138	Drinking Water	06/05/24 05:33	06/06/24 08:00
70300519022	139	Drinking Water	06/05/24 05:31	06/06/24 08:00
70300519023	140	Drinking Water	06/05/24 05:29	06/06/24 08:00
70300519024	141	Drinking Water	06/05/24 05:27	06/06/24 08:00
70300519025	143	Drinking Water	06/05/24 05:59	06/06/24 08:00
70300519026	144	Drinking Water	06/05/24 06:04	06/06/24 08:00
70300519027	145	Drinking Water	06/05/24 06:07	06/06/24 08:00
70300519028	146	Drinking Water	06/05/24 06:11	06/06/24 08:00
70300519029	147	Drinking Water	06/05/24 06:13	06/06/24 08:00
70300519030	148	Drinking Water	06/05/24 06:09	06/06/24 08:00
70300519031	149	Drinking Water	06/05/24 06:06	06/06/24 08:00
70300519032	150	Drinking Water	06/05/24 06:02	06/06/24 08:00
70300519033	151	Drinking Water	06/05/24 05:17	06/06/24 08:00
70300519034	152	Drinking Water	06/05/24 05:31	06/06/24 08:00
70300519035	153	Drinking Water	06/05/24 05:33	06/06/24 08:00
70300519036	154	Drinking Water	06/05/24 05:36	06/06/24 08:00
70300519037	155	Drinking Water	06/05/24 05:41	06/06/24 08:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Lab ID	Sample ID	Matrix	Date Collected	Date Received
70300519038	156	Drinking Water	06/05/24 05:44	06/06/24 08:00
70300519039	157	Drinking Water	06/05/24 05:47	06/06/24 08:00
70300519040	158	Drinking Water	06/05/24 05:50	06/06/24 08:00
70300519041	159	Drinking Water	06/05/24 05:53	06/06/24 08:00
70300519042	160	Drinking Water	06/05/24 05:55	06/06/24 08:00
70300519043	161	Drinking Water	06/05/24 06:00	06/06/24 08:00
70300519044	162	Drinking Water	06/05/24 06:02	06/06/24 08:00
70300519045	163	Drinking Water	06/05/24 06:05	06/06/24 08:00
70300519046	164	Drinking Water	06/05/24 06:09	06/06/24 08:00
70300519047	165	Drinking Water	06/05/24 06:11	06/06/24 08:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70300519001	117	EPA 200.8	JP2	1
70300519002	119	EPA 200.8	JP2	1
70300519003	120	EPA 200.8	JP2	1
70300519004	121	EPA 200.8	JP2	1
70300519005	122	EPA 200.8	JP2	1
70300519006	123	EPA 200.8	JP2	1
70300519007	124	EPA 200.8	JP2	1
70300519008	125	EPA 200.8	JP2	1
70300519009	126	EPA 200.8	JP2	1
70300519010	127	EPA 200.8	JP2	1
70300519011	128	EPA 200.8	JP2	1
70300519012	129	EPA 200.8	JP2	1
70300519013	130	EPA 200.8	JP2	1
70300519014	131	EPA 200.8	JP2	1
70300519015	132	EPA 200.8	JP2	1
70300519016	133	EPA 200.8	JP2	1
70300519017	134	EPA 200.8	JP2	1
70300519018	135	EPA 200.8	JP2	1
70300519019	136	EPA 200.8	JP2	1
70300519020	137	EPA 200.8	JP2	1
70300519021	138	EPA 200.8	JP2	1
70300519022	139	EPA 200.8	JP2	1
70300519023	140	EPA 200.8	JP2	1
70300519024	141	EPA 200.8	JP2	1
70300519025	143	EPA 200.8	JP2	1
70300519026	144	EPA 200.8	JP2	1
70300519027	145	EPA 200.8	JP2	1
70300519028	146	EPA 200.8	JP2	1
70300519029	147	EPA 200.8	JP2	1
70300519030	148	EPA 200.8	JP2	1
70300519031	149	EPA 200.8	JP2	1
70300519032	150	EPA 200.8	JP2	1
70300519033	151	EPA 200.8	JP2	1
70300519034	152	EPA 200.8	JP2	1
70300519035	153	EPA 200.8	JP2	1
70300519036	154	EPA 200.8	JP2	1
70300519037	155	EPA 200.8	JP2	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Lab ID	Sample ID	Method	Analysts	Analytes Reported
70300519038	156	EPA 200.8	JP2	1
70300519039	157	EPA 200.8	JP2	1
70300519040	158	EPA 200.8	JP2	1
70300519041	159	EPA 200.8	JP2	1
70300519042	160	EPA 200.8	JP2	1
70300519043	161	EPA 200.8	JP2	1
70300519044	162	EPA 200.8	JP2	1
70300519045	163	EPA 200.8	JP2	1
70300519046	164	EPA 200.8	JP2	1
70300519047	165	EPA 200.8	JP2	1

PACE-MV = Pace Analytical Services - Melville

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 117		Lab ID: 70300519001	Collected: 06/05/24 05:06	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		06/13/24 16:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 119		Lab ID: 70300519002	Collected: 06/05/24 05:08	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 16:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 120		Lab ID: 70300519003		Collected: 06/05/24 05:10	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	6.9	ug/L	1.0	1		06/13/24 16:52	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 121		Lab ID: 70300519004	Collected: 06/05/24 05:11	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.0	ug/L	1.0	1		06/13/24 16:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 122		Lab ID: 70300519005	Collected: 06/05/24 05:19	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 16:55	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 123		Lab ID: 70300519006		Collected: 06/05/24 05:22	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 16:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 124		Lab ID: 70300519007	Collected: 06/05/24 05:11	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.6	ug/L	1.0	1		06/13/24 16:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 125		Lab ID: 70300519008		Collected: 06/05/24 05:12	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.5	ug/L	1.0	1		06/13/24 17:00	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 126		Lab ID: 70300519009		Collected: 06/05/24 05:17	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.2	ug/L	1.0	1		06/13/24 15:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 127		Lab ID: 70300519010	Collected: 06/05/24 05:23	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.0	ug/L	1.0	1		06/13/24 15:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 128		Lab ID: 70300519011		Collected: 06/05/24 05:25	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 15:38	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 129		Lab ID: 70300519012	Collected: 06/05/24 05:40	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 15:40	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 130		Lab ID: 70300519013	Collected: 06/05/24 05:44	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 15:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 131		Lab ID: 70300519014		Collected: 06/05/24 05:46	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	6.5	ug/L	1.0	1		06/13/24 15:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 132		Lab ID: 70300519015	Collected: 06/05/24 05:48	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 15:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 133		Lab ID: 70300519016		Collected: 06/05/24 05:50	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 15:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 134		Lab ID: 70300519017	Collected: 06/05/24 05:52	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 15:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 135		Lab ID: 70300519018		Collected: 06/05/24 05:54	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 15:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 136		Lab ID: 70300519019	Collected: 06/05/24 05:38	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.5	ug/L	1.0	1		06/13/24 15:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 137		Lab ID: 70300519020	Collected: 06/05/24 05:36	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 15:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 138		Lab ID: 70300519021	Collected: 06/05/24 05:33	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 15:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 139		Lab ID: 70300519022		Collected: 06/05/24 05:31	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.8	ug/L	1.0	1		06/13/24 15:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 140		Lab ID: 70300519023	Collected: 06/05/24 05:29	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 16:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 141		Lab ID: 70300519024	Collected: 06/05/24 05:27	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 16:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 143		Lab ID: 70300519025	Collected: 06/05/24 05:59	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 16:04	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 144		Lab ID: 70300519026		Collected: 06/05/24 06:04	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.7	ug/L	1.0	1		06/13/24 16:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 145		Lab ID: 70300519027	Collected: 06/05/24 06:07	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.8	ug/L	1.0	1		06/13/24 16:07	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 146		Lab ID: 70300519028		Collected: 06/05/24 06:11	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		06/13/24 16:12	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 147		Lab ID: 70300519029	Collected: 06/05/24 06:13	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.6	ug/L	1.0	1		06/13/24 17:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 148		Lab ID: 70300519030	Collected: 06/05/24 06:09	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.0	ug/L	1.0	1		06/13/24 17:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 149		Lab ID: 70300519031	Collected: 06/05/24 06:06	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 150		Lab ID: 70300519032	Collected: 06/05/24 06:02	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		06/13/24 17:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 151		Lab ID: 70300519033	Collected: 06/05/24 05:17	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 152		Lab ID: 70300519034		Collected: 06/05/24 05:31	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 153		Lab ID: 70300519035	Collected: 06/05/24 05:33	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		06/13/24 17:24	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 154		Lab ID: 70300519036	Collected: 06/05/24 05:36	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 155		Lab ID: 70300519037		Collected: 06/05/24 05:41	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 156		Lab ID: 70300519038	Collected: 06/05/24 05:44	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 157		Lab ID: 70300519039	Collected: 06/05/24 05:47	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 158		Lab ID: 70300519040	Collected: 06/05/24 05:50	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 159		Lab ID: 70300519041	Collected: 06/05/24 05:53	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:37	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 160		Lab ID: 70300519042		Collected: 06/05/24 05:55	Received: 06/06/24 08:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:39	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 161		Lab ID: 70300519043	Collected: 06/05/24 06:00	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:40	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 162		Lab ID: 70300519044	Collected: 06/05/24 06:02	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.5	ug/L	1.0	1		06/13/24 17:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 163		Lab ID: 70300519045	Collected: 06/05/24 06:05	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.5	ug/L	1.0	1		06/13/24 17:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 164		Lab ID: 70300519046	Collected: 06/05/24 06:09	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		06/13/24 17:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Sample: 165		Lab ID: 70300519047	Collected: 06/05/24 06:11	Received: 06/06/24 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.9	ug/L	1.0	1		06/13/24 17:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

QC Batch:	351523	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70300519009, 70300519010, 70300519011, 70300519012, 70300519013, 70300519014, 70300519015, 70300519016, 70300519017, 70300519018, 70300519019, 70300519020, 70300519021, 70300519022, 70300519023, 70300519024, 70300519025, 70300519026, 70300519027, 70300519028		

METHOD BLANK:	1820151	Matrix:	Water
Associated Lab Samples:	70300519009, 70300519010, 70300519011, 70300519012, 70300519013, 70300519014, 70300519015, 70300519016, 70300519017, 70300519018, 70300519019, 70300519020, 70300519021, 70300519022, 70300519023, 70300519024, 70300519025, 70300519026, 70300519027, 70300519028		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/13/24 15:22	

LABORATORY CONTROL SAMPLE:	1820152					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.4	97	85-115	

MATRIX SPIKE SAMPLE:	1820154						
Parameter	Units	70300519009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.2	50	50.0	96	70-130	

MATRIX SPIKE SAMPLE:	1820156						
Parameter	Units	70300519010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.0	50	53.6	103	70-130	

SAMPLE DUPLICATE:	1820153					
Parameter	Units	70300519009 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	2.2	2.1	1	20	

SAMPLE DUPLICATE:	1820155					
Parameter	Units	70300519010 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	2.0	2.1	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

QC Batch:	351563	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70300519001, 70300519002, 70300519003, 70300519004, 70300519005, 70300519006, 70300519007, 70300519008		

METHOD BLANK:	1820237	Matrix:	Water
Associated Lab Samples:	70300519001, 70300519002, 70300519003, 70300519004, 70300519005, 70300519006, 70300519007, 70300519008		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/13/24 16:13	

LABORATORY CONTROL SAMPLE:		1820238				
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	47.9	96	85-115	

MATRIX SPIKE SAMPLE:		1820240					
Parameter	Units	70300587018 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	42.2	84	70-130	

MATRIX SPIKE SAMPLE:		1820242					
Parameter	Units	70300587019 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	14.3	50	50.1	72	70-130	

SAMPLE DUPLICATE:		1820239				
Parameter	Units	70300587018 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		20	

SAMPLE DUPLICATE:		1820241				
Parameter	Units	70300587019 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	14.3	14.1	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

QC Batch:	351564	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70300519029, 70300519030, 70300519031, 70300519032, 70300519033, 70300519034, 70300519035, 70300519036, 70300519037, 70300519038, 70300519039, 70300519040, 70300519041, 70300519042, 70300519043, 70300519044, 70300519045, 70300519046, 70300519047		

METHOD BLANK:	1820246	Matrix:	Water
Associated Lab Samples:	70300519029, 70300519030, 70300519031, 70300519032, 70300519033, 70300519034, 70300519035, 70300519036, 70300519037, 70300519038, 70300519039, 70300519040, 70300519041, 70300519042, 70300519043, 70300519044, 70300519045, 70300519046, 70300519047		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	06/13/24 17:02	

LABORATORY CONTROL SAMPLE:	1820247					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	47.4	95	85-115	

MATRIX SPIKE SAMPLE:	1820249						
Parameter	Units	70300519029 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.6	50	41.6	80	70-130	

MATRIX SPIKE SAMPLE:	1820251						
Parameter	Units	70300519030 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.0	50	43.6	85	70-130	

SAMPLE DUPLICATE:	1820248					
Parameter	Units	70300519029 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	1.6	1.6	0	20	

SAMPLE DUPLICATE:	1820250					
Parameter	Units	70300519030 Result	Dup Result	RPD	Max RPD	Qualifiers
Lead	ug/L	1.0	1.0	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BETHLEHEM CSD 6/5

Pace Project No.: 70300519

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70300519001	117	EPA 200.8	351563		
70300519002	119	EPA 200.8	351563		
70300519003	120	EPA 200.8	351563		
70300519004	121	EPA 200.8	351563		
70300519005	122	EPA 200.8	351563		
70300519006	123	EPA 200.8	351563		
70300519007	124	EPA 200.8	351563		
70300519008	125	EPA 200.8	351563		
70300519009	126	EPA 200.8	351523		
70300519010	127	EPA 200.8	351523		
70300519011	128	EPA 200.8	351523		
70300519012	129	EPA 200.8	351523		
70300519013	130	EPA 200.8	351523		
70300519014	131	EPA 200.8	351523		
70300519015	132	EPA 200.8	351523		
70300519016	133	EPA 200.8	351523		
70300519017	134	EPA 200.8	351523		
70300519018	135	EPA 200.8	351523		
70300519019	136	EPA 200.8	351523		
70300519020	137	EPA 200.8	351523		
70300519021	138	EPA 200.8	351523		
70300519022	139	EPA 200.8	351523		
70300519023	140	EPA 200.8	351523		
70300519024	141	EPA 200.8	351523		
70300519025	143	EPA 200.8	351523		
70300519026	144	EPA 200.8	351523		
70300519027	145	EPA 200.8	351523		
70300519028	146	EPA 200.8	351523		
70300519029	147	EPA 200.8	351564		
70300519030	148	EPA 200.8	351564		
70300519031	149	EPA 200.8	351564		
70300519032	150	EPA 200.8	351564		
70300519033	151	EPA 200.8	351564		
70300519034	152	EPA 200.8	351564		
70300519035	153	EPA 200.8	351564		
70300519036	154	EPA 200.8	351564		
70300519037	155	EPA 200.8	351564		
70300519038	156	EPA 200.8	351564		
70300519039	157	EPA 200.8	351564		
70300519040	158	EPA 200.8	351564		
70300519041	159	EPA 200.8	351564		
70300519042	160	EPA 200.8	351564		
70300519043	161	EPA 200.8	351564		
70300519044	162	EPA 200.8	351564		
70300519045	163	EPA 200.8	351564		
70300519046	164	EPA 200.8	351564		
70300519047	165	EPA 200.8	351564		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO#: 70300519

Company Name: **Intertek-PSI**
Street Address: **17 British American Blvd, Latham, NY 12110**

Contact/Report To: **William Kotas**
Phone #: **(518) 377-9841**
E-Mail: **william.kotas@intertek.com**
Cc E-Mail:

Customer Project #: **08215496**
Project Name: **Bethlehem CSD**

Invoice To: **PSI Latham Accounts Payable**
Invoice E-Mail: **LathamAR@intertek.com**

Purchase Order # (if applicable):
Quote #: **CR-BOCES**

Site Collection Info/Facility ID (as applicable):
Slingerlands Elementary School

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET
Data Deliverables:

[] Level II [] Level III [] Level IV
[] EQUIS
[] Other:

Rush (Pre-approval required):
[] 2 Day [] 3 day [] 5 day [] Other: _____
Standard 10 business day

Date Results Requested:
Field Filtered (if applicable): [] Yes [] No
Analysis:

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

County / State origin of sample(s): **New York**

DW PWSID # or WW Permit # as applicable:
DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [] Yes [] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (V), Other (OT).

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Time	Composite End		Res. CL2	Number & Type of Containers		Preservation non-conformance identified for sample
					Date	Time		Plastic	Glass	
117	DW	G	6/5/24	506				1	X	
119			6/5/24	508						
120			6/5/24	510						
121			6/5/24	511						
122			6/5/24	519						
123			6/5/24	522						
124			6/5/24	511						
125			6/5/24	512						
126			6/5/24	517						
127			6/5/24	523						

Customer Remarks / Special Conditions / Possible Hazards:
Lead

Collected By: **Richard Paszkiewicz**
Signature: *[Signature]*

Received by/Company (Signature): *[Signature]*
Date/Time: **6/5/24 17:30**

Received by/Company (Signature): *[Signature]*
Date/Time: **6/6/24 4:10**

Received by/Company (Signature): *[Signature]*
Date/Time: **6/6/24 5:00**

Received by/Company (Signature): *[Signature]*
Date/Time: **6/6/24 5:00**

Additional Instructions from Pace*:
Coolers: **Thermometer ID: -0.1** Correction Factor (°C): **12.7** Obs. Temp (°C): **12.6** Corrected Temp (°C): **12.6**

Tracking Number: **6-5-24 1730**

Delivered by: [] In-Person [X] Courier
[] FedEx [] UPS [] Other

Page: **1** of **5**

Pace Location Requested (City/State):
 Pace Analytical Long Island NY
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: **Intertek-PSI**
 Street Address: **17 British American Blvd, Latham, NY 12210**

Customer Project #: **08215496**
 Project Name: **Bethlehem CSD**

Site Collection Info/Facility ID (as applicable):
Slingerlands Elementary School

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET
 Data Deliverables:

[] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other

Rush (Pre-approval required):
 [] 2 Day [] 3 day [] 5 day [] Other
 Date Results Requested: **Standard 10 business day**

Field Filtered (if applicable): [] Yes [] No
 Analysis:

Contact/Report To: **William Kotas**
 Phone #: **(518) 377-9841**
 E-Mail: **william.kotas@intertek.com**
 Cc E-Mail:

Invoice To: **PSI Latham Accounts Payable**
 Invoice E-Mail: **LathamAR@intertek.com**

Purchase Order # (if applicable):
 Quote #: **CR-BOCES**

County / State origin of sample(s): **New York**

Regulatory Program (DW, RCRA, etc.) as applicable: **NY Lead in School DW**

** Container Size: (1) 1L, (2) 500ml, (3) 250ml, (4) 125ml, (5) 100ml, (6) 40ml vial, (7) Encore, (8) TerraCore, (9) Other

Identify Container Preservative Type ***
 *** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Analysis Requested

Proj. Mgr:
Lori Beyer
 AcctNum / Client ID:
 Table #:
 Profile / Template:
10367
 Prelog / Bottle Ord. ID:

Lab Use Only
 Preservation non-conformance identified for

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Time	Composite End Date	Time	Res. CL2	Number & Type of Containers	Plastic	Glass
128	DW	G	6/5/24	5:25				1		
129			6/5/24	5:40						
130			6/5/24	5:44						
131			6/5/24	5:46						
132			6/5/24	5:48						
133			6/5/24	5:50						
134			6/5/24	5:52						
135			6/5/24	5:54						
136			6/5/24	5:58						
137			6/5/24	5:36						

Additional Instructions from Pace:
 # Coolers: **TH211** Thermometer ID: **197** Correction Factor (°C): **-0.1** Obs. Temp. (°C): **19.7** Corrected Temp. (°C): **19.6**

Collected By: **Richard Paszkiewicz**
 Printed Name: **Richard Paszkiewicz**
 Signature: *[Signature]*
 Received by/Company: **PSI**
 Received by/Company: **PSI**
 Received by/Company: **PSI**
 Received by/Company: **PSI**

Date/Time: **6/5/24 6:51:24**
 Date/Time: **6/5/24 6:00**
 Date/Time: **6/5/24 8:00**

Delivered by: [] In-Person [X] Courier
 [] FedEx [] UPS [] Other

Page: **2** of **5**



LAB USE ONLY - Affix Workorder/Login Label Here

Specify Container Size **

Identify Container Preservative Type ***

Analysis Requested

Proj. Mgr:
 AcctNum / Client ID:
 Table #:
 Profile / Template:
 Prelog / Bottle Ord. ID:

Lab Use Only
 Preservation non-conformance identified for

Additional Instructions from Pace:
 # Coolers: Thermometer ID: Obs. Temp. (°C) Correction Factor (°C) Corrected Temp. (°C)
 Date/Time: Date/Time: Date/Time: Delivered by: [] In-Person [X] Courier [] FedEx [] UPS [] Other
 Page: 2 of 5



LAB USE ONLY - Affix Workorder/Login Label Here

Scan QR Code for instructions

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace
 Pace Analytical Long Island NY
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12210

Contact/Report To: William Kotas
 (518) 377-9841
 william.kotas@intertek.com

Customer Project #: 08215496
Project Name: Bethlehem CSD

Site Collection Info/Facility ID (as applicable):
 Slingerlands Elementary School

Time Zone Collected: [] AK [] MT [] CT [X] ET

Data Deliverables:
 [] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other _____

Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW **New York**

Rush (Pre-approval required):
 [] 2 Day [] 3 day [] 5 day [] Other _____
 DW PWSID # or WW Permit # as applicable:
 Field Filtered (if applicable): [] Yes [] No
 Analysis:
Date Results Requested:
 Standard 30 business day

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Res. CL2	Number & Type of Containers	Sample Comment
			Date	Time			
138	DW	G	6/15/24	5:33		1	X
139			6/15/24	5:31			
140			6/15/24	5:29			
141			6/15/24	5:27			
143			6/15/24	5:59			
144			6/15/24	6:04			
145			6/15/24	6:07			
146			6/15/24	6:11			
147			6/15/24	6:13			
148			6/15/24	6:09			

Additional Instructions from Pace:

Coolers: Thermometer ID: TH211 Correction Factor (°C): -0.1 Obs. Temp. (°C): 19.7 Corrected Temp. (°C): 19.6

Date/Time: 6-5-24 17:30 Tracking Number:
 Date/Time: 6/6/24 4:10 Delivered by: [] In-Person [X] Courier
 Date/Time: 6/6/24 8:00 [] FedEx [] UPS [] Other
 Date/Time: _____ Page: 3 of 5

Collected By: Richard Paszkiewicz
 Printed Name: Richard Paszkiewicz
 Signature: [Signature]
 Received by/Company: [Signature]
 Received by/Company: [Signature]
 Received by/Company: [Signature]
 Received by/Company: [Signature]

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12210
Customer Project #: 08215496
Project Name: Bethlehem CSD

Contact/Report To: William Kotas
Phone #: (518) 377-9841
E-Mail: william.kotas@intertek.com
Cc E-Mail:

Invoice To: PSI Latham Accounts Payable
Invoice E-Mail: LathamAR@intertek.com
Purchase Order # (if applicable):
Quote #: CR-BOCES

Specify Container Size **
125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCore, (9) Other
Identify Container Preservative Type***
*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Site Collection Info/Facility ID (as applicable):
Slingerlands Elementary School
Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET
Data Deliverables:
[] Level II [] Level III [] Level IV
[] EQUIS
[] Other

Analysis Requested

County / State origin of sample(s): New York
Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW
Rush (Pre-approval required): DW PWSID # or WW Permit # as applicable:
[] 2 Day [] 3 day [] 5 day [] Other
Date Results Requested: Standard 10 business day
Field Filtered (if applicable): [] Yes [] No
Analysis:

Proj. Mgr: Lori Beyer
AcctNum / Client ID:
Table #:
Profile / Template: 10367
Prelog / Bottle Ord. ID:
Lab Use Only
Preservation non-conformance identified for sample

Matrix * (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk
Customer Sample ID
149
150
151
152
153
154
155
156
157
156

Matrix *	Comp / Grab	Collected		Res. CLZ	Number & Type of Containers
		Date	Time		
DW	G	6/5/24	6:06		1 Plastic
		6/5/24	6:02		
		6/5/24	5:17		
		6/5/24	5:31		
		6/5/24	5:33		
		6/5/24	5:36		
		6/5/24	5:41		
		6/5/24	5:44		
		6/5/24	5:17		
		6/5/24	5:50		

Customer Sample ID	Matrix *	Comp / Grab	Date	Time	Res. CLZ	Number & Type of Containers	Sample Comment
149	DW	G	6/5/24	6:06		1 Plastic	
150			6/5/24	6:02			
151			6/5/24	5:17			
152			6/5/24	5:31			
153			6/5/24	5:33			
154			6/5/24	5:36			
155			6/5/24	5:41			
156			6/5/24	5:44			
157			6/5/24	5:17			
156			6/5/24	5:50			

Additional Instructions from Pace®:
Coolers: 1
Temperature ID: 1821
Correction Factor (°C): -0.1
Obs. Temp. (°C): 19.7
Corrected Temp. (°C): 19.6
Trading Number:
Date/Time: 6/5/24 17:30
Date/Time: 6/6 4:10
Date/Time: 6/6/24 8:00
Delivered by: [] In-Person [X] Courier
[] FedEx [] UPS [] Other
Page: 7 of 7

Collected By: Richard Paszkiewicz
Signature: [Signature]
Received By/Company (Signature): [Signature]
Received By/Company (Signature): [Signature]
Received By/Company (Signature): [Signature]
Received By/Company (Signature): [Signature]



LAB USE ONLY - Affix Workorder/Login Label Here

Scan QR Code for instructions

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: Intertek-PSI
Street Address: 17 British American Blvd, Latham, NY 12210

Contact/Report To: William Kotas
Phone #: (518) 377-9841
E-Mail: william.kotas@intertek.com
Cc E-Mail:

Invoice To: PSI Latham Accounts Payable
Invoice E-Mail: lathamAR@intertek.com

Purchase Order # (if applicable):
Quote #: CR-BOCES

Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET
Data Deliverables: Regulatory Program (DW, RCRA, etc.) as applicable: NY Lead in School DW

Rush (Pre-approval required):
[] 2 Day [] 3 day [] 5 day [] Other
Date Results Requested: Standard 10 business day
Field Filtered (if applicable): [] Yes [] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers	
			Date	Time	Date	Time		Plastic	Glass
154	DW	G	6/15/24	5:53				1	
160			6/15/24	5:55					
161			6/15/24	6:00					
162			6/15/24	6:02					
163			6/15/24	6:05					
164			6/15/24	6:09					
165			6/15/24	6:11					

Customer Remarks / Special Conditions / Possible Hazards:

Lead

Collected By: Richard Paszkiewicz
Signature: *[Signature]*

Received by Company: *[Signature]*
Date/Time: 6/5/24 16:00

Received by Company: *[Signature]*
Date/Time: 6/5-27 16:00

Received by Company: *[Signature]*
Date/Time: 6/6 8:00

Received by Company: *[Signature]*
Date/Time: 6/6 8:00

Additional Instructions from Pace*:
Coolers: 1 H24
Thermometer ID: 14.7
Correction Factor (°C): -0.1
Obs. Temp. (°C): 14.6
Corrected Temp. (°C): 14.6

Tracking Number: 6-5-27 1430
Delivered by: *[Signature]* Person
Date/Time: 6/6 4:10
Date/Time: 6/6 8:00

Page: 5 of 5

Client: **Inter tex - PSI** Profile #: **10367**

Work ID: **Bethlehem CSD6/S** of Use Point Number Spreadsheet Multiday Project
 Add SCLOGFD to first sample for field charge

Sample ID	Description	Matrix
AG4U	125mL unpres. amber glass	Water
AG2U	500mL unpres. amber glass	Solid
AG1U	1L unpres. amber glass	Non-aqueous Liquid
AG3U	500mL unpres. amber glass	Oil
AG5U	1000mL unpres. amber glass	Wipe
AG7U	2000mL unpres. amber glass	Drinking Water
AG9U	5000mL unpres. amber glass	
AG11U	10000mL unpres. amber glass	
AG13U	20000mL unpres. amber glass	
AG15U	50000mL unpres. amber glass	
AG17U	100000mL unpres. amber glass	
AG19U	200000mL unpres. amber glass	
AG21U	500000mL unpres. amber glass	
AG23U	1000000mL unpres. amber glass	
AG25U	2000000mL unpres. amber glass	
AG27U	5000000mL unpres. amber glass	
AG29U	10000000mL unpres. amber glass	
AG31U	20000000mL unpres. amber glass	
AG33U	50000000mL unpres. amber glass	
AG35U	100000000mL unpres. amber glass	
AG37U	200000000mL unpres. amber glass	
AG39U	500000000mL unpres. amber glass	
AG41U	1000000000mL unpres. amber glass	
AG43U	2000000000mL unpres. amber glass	
AG45U	5000000000mL unpres. amber glass	
AG47U	10000000000mL unpres. amber glass	
AG49U	20000000000mL unpres. amber glass	
AG51U	50000000000mL unpres. amber glass	
AG53U	100000000000mL unpres. amber glass	
AG55U	200000000000mL unpres. amber glass	
AG57U	500000000000mL unpres. amber glass	
AG59U	1000000000000mL unpres. amber glass	
AG61U	2000000000000mL unpres. amber glass	
AG63U	5000000000000mL unpres. amber glass	
AG65U	10000000000000mL unpres. amber glass	
AG67U	20000000000000mL unpres. amber glass	
AG69U	50000000000000mL unpres. amber glass	
AG71U	100000000000000mL unpres. amber glass	
AG73U	200000000000000mL unpres. amber glass	
AG75U	500000000000000mL unpres. amber glass	
AG77U	1000000000000000mL unpres. amber glass	
AG79U	2000000000000000mL unpres. amber glass	
AG81U	5000000000000000mL unpres. amber glass	
AG83U	10000000000000000mL unpres. amber glass	
AG85U	20000000000000000mL unpres. amber glass	
AG87U	50000000000000000mL unpres. amber glass	
AG89U	100000000000000000mL unpres. amber glass	
AG91U	200000000000000000mL unpres. amber glass	
AG93U	500000000000000000mL unpres. amber glass	
AG95U	1000000000000000000mL unpres. amber glass	
AG97U	2000000000000000000mL unpres. amber glass	
AG99U	5000000000000000000mL unpres. amber glass	
AG101U	10000000000000000000mL unpres. amber glass	
AG103U	20000000000000000000mL unpres. amber glass	
AG105U	50000000000000000000mL unpres. amber glass	
AG107U	100000000000000000000mL unpres. amber glass	
AG109U	200000000000000000000mL unpres. amber glass	
AG111U	500000000000000000000mL unpres. amber glass	
AG113U	1000000000000000000000mL unpres. amber glass	
AG115U	2000000000000000000000mL unpres. amber glass	
AG117U	5000000000000000000000mL unpres. amber glass	
AG119U	10000000000000000000000mL unpres. amber glass	
AG121U	20000000000000000000000mL unpres. amber glass	
AG123U	50000000000000000000000mL unpres. amber glass	
AG125U	100000000000000000000000mL unpres. amber glass	
AG127U	200000000000000000000000mL unpres. amber glass	
AG129U	500000000000000000000000mL unpres. amber glass	
AG131U	1000000000000000000000000mL unpres. amber glass	
AG133U	2000000000000000000000000mL unpres. amber glass	
AG135U	5000000000000000000000000mL unpres. amber glass	
AG137U	10000000000000000000000000mL unpres. amber glass	
AG139U	20000000000000000000000000mL unpres. amber glass	
AG141U	50000000000000000000000000mL unpres. amber glass	
AG143U	100000000000000000000000000mL unpres. amber glass	
AG145U	200000000000000000000000000mL unpres. amber glass	
AG147U	500000000000000000000000000mL unpres. amber glass	
AG149U	1000000000000000000000000000mL unpres. amber glass	
AG151U	2000000000000000000000000000mL unpres. amber glass	
AG153U	5000000000000000000000000000mL unpres. amber glass	
AG155U	10000000000000000000000000000mL unpres. amber glass	
AG157U	20000000000000000000000000000mL unpres. amber glass	
AG159U	50000000000000000000000000000mL unpres. amber glass	
AG161U	100000000000000000000000000000mL unpres. amber glass	
AG163U	200000000000000000000000000000mL unpres. amber glass	
AG165U	500000000000000000000000000000mL unpres. amber glass	
AG167U	1000000000000000000000000000000mL unpres. amber glass	
AG169U	2000000000000000000000000000000mL unpres. amber glass	
AG171U	5000000000000000000000000000000mL unpres. amber glass	
AG173U	10000000000000000000000000000000mL unpres. amber glass	
AG175U	20000000000000000000000000000000mL unpres. amber glass	
AG177U	50000000000000000000000000000000mL unpres. amber glass	
AG179U	100000000000000000000000000000000mL unpres. amber glass	
AG181U	200000000000000000000000000000000mL unpres. amber glass	
AG183U	500000000000000000000000000000000mL unpres. amber glass	
AG185U	1000000000000000000000000000000000mL unpres. amber glass	
AG187U	2000000000000000000000000000000000mL unpres. amber glass	
AG189U	5000000000000000000000000000000000mL unpres. amber glass	
AG191U	10000000000000000000000000000000000mL unpres. amber glass	
AG193U	20000000000000000000000000000000000mL unpres. amber glass	
AG195U	50000000000000000000000000000000000mL unpres. amber glass	
AG197U	100000000000000000000000000000000000mL unpres. amber glass	
AG199U	200000000000000000000000000000000000mL unpres. amber glass	
AG201U	500000000000000000000000000000000000mL unpres. amber glass	

Misc.

SPST	120mL Cellform Na Thio
R	Terracore KI
WG2U	2oz Unpreserved Jar
WG5U	4oz Unpreserved Jar
WG8U	8oz Unpreserved Jar
ZPLC	Ziplock Bag
TEDL	Tedar Bag
BG1H	1L HCL Clear Glass
GN	General
WP	Wipe
LLHG	Low Level Lig Bottles
BG1N	1L HNO3 Clear Glass

Plastic

BP4U	125mL unpreserved plastic
BP3U	250mL unpreserved plastic
BP2U	500mL unpreserved plastic
BP1U	1L unpreserved plastic
BP4N	125mL HNO3 plastic
BP3N	250mL HNO3 plastic
BP2N	500mL HNO3 plastic
BP3S	250mL H2SO4 plastic
BP2S	500mL H2SO4 plastic
BP3C	NaOH 250mL bottle
BP3T	250mL Trizma
BP35	250mL Ammonium Acetate
BP3R	250mL NH4SO4-NH4OH
BP1Z	1L NaOH, Zn Acetate
BP1N	1L HNO3 plastic
BP1B	Na Thiosulfate Amber Bottle

Glass

AG4U	125mL unpres. amber glass
AG3U	500mL unpres. amber glass
AG2U	1L unpres. amber glass
AG1U	1L unpres. amber glass
AG4E	125mL EDA amber glass
AG3T	250mL Na Thio amber glass
AG2R	Na Sulfit 500mL (Blue Cap)
AG1T	Na Thiosulfate 1L bottle
AG1H	1L HCl amber glass
AG1A	(NH4Cl)
AG5U	100mL unpres Amber Glass
AG44	Ammonium Cl 120mL bottle

Matrix

WT	Water
SL	Solid
NAL	Non-aqueous Liquid
OL	Oil
W/P	Wipe
DW	Drinking Water

* Can also be a BP4N

SOC

VG9T	40mL Na Thio amber vial
DG9A	40mL Ascorbic acid maleic Acid vials
DG9Y	Citrate/Na Thiosulfate 40mL
DG9M	Na Thiosulfate 50mL vial
DG9M	MonoChloric/Na Thio 60mL
AG3U	250mL unpres amber glass
AG3T	Na Thiosulfate 250mL bottle
AG1T	Na Thiosulfate 1L Amber
AG1A	525.3 Chemical Blend

Additional Comments

Sender Initials: **HA**

WO#: 70300519
PM: LAB Due Date: 06/20/24
CLIENT: INTER-LATHAM

47 total samples

WO#: 70300519

Client Name: Inter-Latham Project # _____
 Courier: Fed Ex UPS USPS Client Commercial Parcel Other
 Tracking #: _____

PM: LAB Due Date: 06/20/24
 CLIENT: INTER-LATHAM

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No
 Packing Material: Bubble Wrap Bubble Bags Ziploc None Other Type of Ice: Wet Blue None

Thermometer Used: JH211 Correction Factor: -0.1 Samples on ice, cooling process has begun
 Cooler Temperature (°C): 19.7 Cooler Temperature Corrected (°C): 19.6 Date/Time 5035A kits placed in freezer _____
 Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: GH (initials)

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: <u>SL</u> <input checked="" type="checkbox"/> WT <input type="checkbox"/> OIL <input type="checkbox"/> OTHER	

Date and Initials of person checking preservation: GH (initials)

All containers needing preservation have been pH paper Lot # <u>205324</u> All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide) Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Sample #
KI starch test strips Lot #	Initial when completed: Lot # of added preservative: Date/Time preservative added:
Residual chlorine strips Lot #	15. Positive for Res. Chlorine? Y N
SM 4500 CN samples checked for sul <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15. Positive for Sulfide? Y N
Lead Acetate Strips Lot #	
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution: _____ Field Data Required? Y / N
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS